

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|--|------------------|---------|------------------|
| S23 2 | 1 | 10/636004 | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/25 11:34 |
| S23 3 | 11 | Bourges-Waldegg.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/23 17:22 |
| S23 4 | 0 | ("2004/0111482").URPN. | USPAT | OR | ON | 2007/01/23 17:18 |
| S23 5 | 4 | Bourges-Waldegg.in. Duponchel.in. Graf.in. Moser.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 08:03 |
| S23 6 | 12327 | Bourges-Waldegg.in. Duponchel.in. Graf.in. Moser.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/23 17:26 |
| S23 7 | 17 | S236 and @ad<"20020813" and "709"/\$.cccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/23 17:26 |
| S23 8 | 1 | "02405689.7" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 08:05 |
| S23 9 | 0 | "02405689.7" | EPO; DERWENT | AND | ON | 2007/01/24 08:05 |
| S24 0 | 0 | "02405689" | EPO; DERWENT | AND | ON | 2007/01/24 08:06 |
| S24 1 | 6 | Bourges-Waldegg | EPO; DERWENT | AND | ON | 2007/01/24 08:06 |

EAST Search History

| | | | | | | |
|----------|-------|--|--|-----|----|------------------|
| S24 2 | 0 | ("2006/0101422").URPN. | USPAT | OR | ON | 2007/01/24 08:43 |
| S24 3 | 0 | ("2004/0111482").URPN. | USPAT | OR | ON | 2007/01/24 08:44 |
| S24 4 | 0 | ("2006/0101422").URPN. | USPAT | OR | ON | 2007/01/24 08:45 |
| S24 5 | 0 | ("2006/0101422").URPN. | USPAT | OR | ON | 2007/01/24 08:45 |
| S24 6 | 0 | content interfac\$4 output display screen control unit (stor\$4 near3 look\$4 near3 table) classif\$8 level unit pda headphone cell laptop rout\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 09:45 |
| S24 7 | 29 | content interfac\$4 output display screen control unit classif\$8 level unit pda headphone cell laptop rout\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 09:48 |
| S24 8 | 24697 | (stor\$4 near3 look\$4 near3 table) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 09:46 |
| S24 9 | 29 | content interfac\$4 output display screen control unit classif\$8 level pda headphone cell laptop rout\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 09:50 |
| S25 0 | 30 | content interfac\$4 output display control unit classif\$8 level pda headphone cell laptop rout\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 09:57 |
| S25 1 | 1 | content interfac\$4 output display (control near3 unit) (classif\$8 near3 (level or unit)) pda headphone cell laptop rout\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 09:59 |

EAST Search History

| | | | | | | |
|----------|----|---|--|-----|----|------------------|
| S25 2 | 36 | content (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 10:00 |
| S25 3 | 13 | content (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table) @ad<"20020813" ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 10:07 |
| S25 4 | 10 | (determin\$4 same content) (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table) @ad<"20020813" ("370"/\$. ccls. or "455"/\$.ccls. or "709"/\$. ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 10:20 |
| S25 5 | 15 | (determin\$4 same content) (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table) @ad<"20020813" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 10:53 |
| S25 6 | 0 | (determin\$4 same content) (control near3 unit) (classif\$8 near3 messag\$4) (stor\$4 near3 look\$4 near3 table) @ad<"20020813" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 10:54 |
| S25 7 | 1 | (determin\$4 same content) (control near3 unit) (classif\$8 with messag\$4) (stor\$4 near3 look\$4 near3 table) @ad<"20020813" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 10:56 |
| S25 8 | 68 | (determin\$4 same content) (control near3 unit) (classif\$8 with messag\$4) ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls.) @ad<"20020813" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 10:57 |

EAST Search History

| | | | | | | |
|----------|------|--|--|-----|----|------------------|
| S25 9 | 6077 | (electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4) output | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 13:07 |
| S26 0 | 1201 | (electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:05 |
| S26 1 | 164 | (electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) rout\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:15 |
| S26 2 | 23 | (electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) rout\$4 (((stor\$4 with look\$4) or hash\$4) with table) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:27 |
| S26 3 | 20 | (electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) rout\$4 (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:34 |
| S26 4 | 20 | (electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:36 |

EAST Search History

| | | | | | | |
|----------|-------|---|--|-----|----|------------------|
| S26 5 | 20 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:05 |
| S26 6 | 3 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) ((determin\$4 or availab\$6) near4 output) @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:44 |
| S26 7 | 1 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) ((determin\$4 or availab\$6) near4 output) @ad>"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:51 |
| S26 8 | 3 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) ((determin\$4 or availab\$6) near4 output) @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 14:51 |
| S26 9 | 22280 | (fixed near3 mobil\$4 near3 convergenc\$3) or fmc | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:36 |

EAST Search History

| | | | | | | |
|----------|----|---|--|-----|----|------------------|
| S27 0 | 0 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:06 |
| S27 1 | 20 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:08 |
| S27 2 | 46 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:18 |
| S27 3 | 46 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" content classif\$8 (portable or remote or pda or laptop) (rout\$4 or adapt\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:25 |

EAST Search History

| | | | | | | |
|----------|-------|---|--|-----|----|------------------|
| S27 4 | 223 | (electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" content classif\$8 (portable or remote or pda or laptop) (rout\$4 or adapt\$4 or interfac\$4 or connect\$4 switch\$4 or multiplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (control near3 unit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:25 |
| S27 5 | 56650 | tagged | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/24 17:32 |
| S27 6 | 69 | ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc) @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/01/24 17:37 |